

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P0706P2C2D2C1

Serial No.

10/666,689

## LIST OF DISCLOSURES OF PRIOR ART BY APPLICANT

(Use several sheets if necessary)

Applicant

Lee et al.

Filing Date

19 Sep 2003

Group

1646

## U.S. PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
2	* 1	5,374,506	20.12.94	Murphy, P.			
2	* 2	5,543,503	06.08.96	Chuntharapai et al.			11.06.93

## FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation Yes	No
2	3	WO 92/04372	19.03.92	PCT				
2	* 4	WO 92/17497	15.10.92	PCT				
2	* 5	WO 92/18641	29.10.92	PCT				
2	* 6	WO 93/06229	01.04.93	PCT				

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

2	* 7	Antibodies: A Laboratory Manual (Chapter 5), Harlow and Lane, eds., Cold Spring Harbor Laboratory pps. 72-76 (1988)					
2	* 8	Beckmann et al., "Molecular characterization of the interleukin-8 receptor" <u>Biochem. &amp; Biophys. Res. Comm.</u> 179(2):784-789 (Sep 16, 1991)					
2	* 9	Besemer et al., "Specific Binding, Internalization, and Degradation of Human Neutrophil Activating Factor by Human Neutrophil Activating Factor by Human Polymorphonuclear Leukocytes" <u>Journal of Biological Chemistry</u> 264:17409-17415 (1989)					
2	* 10	Bleul et al., "The HIV coreceptors CXCR4 and CCR5 are differentially expressed and regulated on human T lymphocytes" <u>Proc. Natl. Acad. Sci. USA</u> 94:1925-1930 (March 1997)					
2	* 11	Boulay et al., "Synthesis and use of a novel N-formyl peptide derivative to isolate a human N-formyl peptide receptor cDNA" <u>Biochem. Biophys. Res. Comm.</u> 168(3):1103-1109 (1990)					
2	12	Brennan et al., "Detection of interleukin 8 biological activity in synovial fluids from patients with rheumatoid arthritis and production of interleukin 8 mRNA by isolated synovial cells" <u>European Journal of Immunology</u> 20:2141-2144 (1990)					
2	* 13	Broadbuss et al., "Interleukin-8 is a major neutrophil chemotactic factor in pleural liquid of patients with empyema" <u>Amer. Rev. Resp. Disease</u> 146:825-830 (1992)					
2	* 14	Chuntharapai et al., "Generation and characterization of monoclonal antibodies (mAbs) to human IL 8 receptor A" <u>J. Immunol.</u> (abstract #708) 150(8(2)):126A (May 1993)					
2	* 15	Chuntharapai et al., "Neutralizing monoclonal antibodies to human IL-8 receptor A map to the NH <sub>2</sub> -terminal region of the receptor" <u>J. Immunol.</u> 152(4):1783-1789 (1994)					
2	* 16	Clark-Lewis et al., "Platelet factor 4 binds to interleukin 8 receptors and activates neutrophils when its N terminus is modified with Glu-Leu-Arg" <u>Proc. Natl. Acad. Sci. USA</u> 90(8):3574-3577 (Apr 15, 1993)					
2	* 17	Clark-Lewis et al., "Structure-Activity Relationships of Interleukin-8 Determined Using Chemically Synthesized Analogs" <u>Journal of Biological Chemistry</u> 266(34):23128-23134 (1991)					
2	18	Crockard et al., "Markers of Inflammatory Activation: Upregulation of Complement Receptors CR1 and CR3 on Synovial Fluid Neutrophils from Patients with Inflammatory Joint Disease" <u>Clinical Immunol. &amp; Immunopath.</u> 65(2):135-142 (1992)					
2	* 19	D'Andrea et al., "Expression Cloning of the Murine Erythropoietin Receptor" <u>Cell</u> 57:277-285 (1989)					
2	20	DeForge et al., "Interleukin-1 Receptor Antagonist Protein Inhibits Interleukin-8 Expression in Lipopolysaccharide-stimulated Human Whole Blood" <u>Amer. J. Path.</u> 140(5):1045-1054 (1992)					

Examiner

Date Considered


10/11/05

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 <b>LIST OF DISCLOSURES CITED BY APPLICANT</b> (Use several sheets if necessary)	U.S. Dept. of Commerce Patent and Trademark Office		Atty Docket No.	Serial No.
			P0706P2C2D2C1	10/666,689
	Applicant			Filing Date
Lee et al.			19 Sep 2003	
			Group	
			1646	

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

21	DeForge et al., "Oxygen Radical Scavengers Selectively Inhibit Interleukin 8 Production in Human Whole Blood" <u>J. Clin. Invest.</u> 90(5):2123-2129 (1992)
22	Deleuran et al., "The effect of second-line antirheumatic drugs on interleukin-8 mRNA synthesis and protein secretion in human endothelial cells" <u>Cytokine</u> 4(5):403-409 (1992)
23	Dinareello et al., "Anticytokine Strategies in the Treatment of the Systemic Inflammatory Response Syndrome" <u>Journal of the American Medical Assn.</u> 269(14):1829-1835 (1991)
*24	Dixon et al., "Structural features required for ligand binding to the -adrenergic receptor" <u>EMBO Journal</u> 6(11):3269-3275 (1987)
*25	Dixon, et al., "Structure-Function Analysis of the Beta-Adrenergic Receptor" <u>Cold Spring Har. Sym. Quant. Biol.</u> 53:487-497 (1988)
*26	Federspiel et al., "Molecular cloning of the cDNA and chromosomal localization of the gene for a putative seven-transmembrane segment (7-TMS) receptor isolated from human spleen" <u>Genomics</u> 16:707-712 (1993)
*27	Feng, Yu et al., "HIV-1 entry cofactor: functional cDNA cloning of a seven-transmembrane, G protein-coupled receptor" <u>Science</u> 272:872-877 (1996)
*28	Gayle III et al., "Importance of the Amino Terminus of the Interleukin-8 Receptor in Ligand Interactions" <u>Journal of Biological Chemistry</u> 268(10):7283-7289 (1993)
29	Gearing et al., "Expression Cloning of a Receptor for Human Granulocyte-macrophage Colony-stimulating Factor" <u>EMBO Journal</u> 8(12):3667-3676 (1989)
*30	Gerard & Gerard, "The chemotactic receptor for human C5a anaphylatoxin" <u>Nature</u> 349:614-617 (1991)
*31	Grob et al., "Characterization of a Receptor for Human Monocyte-derived Neutrophil Chemotactic Factor/Interleukin-8" <u>Journal of Biological Chemistry</u> 265(14):8311-8316 (1990)
32	Grynkiewicz et al., "A New Generation of Ca <sup>2+</sup> Indicators with Greatly Improved Fluorescence Properties" <u>Journal of Biological Chemistry</u> 260(6):3440-3450 (1985)
*33	Hammond et al., "Generation of neutralizing antibodies to human interleukin-8 (IL8) receptors" <u>J. Cell Biochem. (Suppl. 18B)</u> 318:Abstract #0108 (1994)
*34	Harada et al. <u>Gene</u> 142:297-300 (1994)
*35	Hebert et al., "Endothelial and Leukocyte Forms of IL-8: Conversion by Thrombin and Interactions with Neutrophils" <u>J. Immunol.</u> 145(9):3033-3040 (Nov 1, 1990)
*36	Hebert et al., "Partial functional mapping of the human interleukin-8 type A receptor" <u>Journal of Biological Chemistry</u> 268(25):18549-18553 (1993)
*37	Hebert et al., "Scanning Mutagenesis of Interleukin-8 Identifies a Cluster of Residues Required for Receptor Binding" <u>Journal of Biological Chemistry</u> 266(28):18989-18994 (1991)
38	Hemmi et al., "A novel member of the interferon receptor family complements functionality of the murine interferon $\gamma$ receptor in human cells" <u>Cell</u> 76:803-810 (1994)
*39	Herzog et al., "Molecular cloning, characterization, and localization of the human homolog to the reported bovine NPY Y3 receptor: lack of NPY binding and activation" <u>DNA and Cell Biology</u> 12(6):465-471 (1993)
40	Hirota et al., "Production of interleukin 8 by cultured synovial cells in response to interleukin 1 and tumor necrosis factor" <u>Rheumatol. Int.</u> 12:13-16 (1992)

Examiner	Date Considered
	10/11/05
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P0706P2C2D2C1

Serial No.

10/666,689

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Lee et al.

Filing Date

19 Sep 2003

Group

1646

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

2	*41	Holmes et al., "Structure and Functional Expression of a Human Interleukin-8 Receptor" <u>Science</u> 253(5025):1278-1280 (1991)
2	*42	Horuk et al., "Purification, Receptor Binding Analysis, and Biological Characterization of Human Melanoma Growth Stimulating Activity (MGSA)" <u>Journal of Biological Chemistry</u> 268(1):541-546 (1993)
2	*43	Jazin et al., "A proposed bovine neuropeptide Y (NPY) receptor cDNA clone, or its human homologue, confers neither NPY binding sites nor NPY responsiveness on transfected cells" <u>Regulatory Peptides</u> 47:247-258 (1993)
2	*44	Kahan, "Immunosuppressive therapy" <u>Current Opinion in Immunology</u> 4(5):553-560 (Oct 1992)
2	*45	Keller, G. H. et al., "Molecular Hybridization Technology" <u>DNA Probes</u> , New York, NY:Stockton Press pps. xv-xvi; 2-27 (1989)
2	*46	Koch et al., "Interleukin-8 as a Macrophage-Derived Mediator of Angiogenesis" <u>Science</u> 258:1798-1801 (1992)
2	*47	Koch et al., "Interleukin-8 is a potent human macrophage-derived mediator of angiogenesis that is blocked by interleukin-8 antibody and antisense oligonucleotide" <u>Arthritis and Rheumatism</u> (abstract #86) 35(9 Supp.):S49 (1992)
2	*48	Koch et al., "Synovial tissue macrophage as a source of the chemotactic cytokine IL-8" <u>J. Immunol.</u> 147(7):2187-2195 (1991)
2	*49	Kubo et al., "Cloning, sequencing and expression of complementary DNA encoding the muscarinic acetylcholine receptor" <u>Nature</u> 323:411-416 (1986)
2	*50	LaRosa et al., "Amino terminus of the interleukin-8 receptor is a major determinant of receptor subtype specificity" <u>Journal of Biological Chemistry</u> 267(35):25402-25406 (1992)
2	*51	Lee et al., "Characterization of Complementary DNA Clones Encoding the Rabbit IL-8 Receptor" <u>Journal of Immunology</u> 148(4):1261-1264 (Feb 15, 1992)
2	*52	Lee et al., "Characterization of Two High Affinity Human Interleukin-8 Receptors" <u>Journal of Biological Chemistry</u> 267(23):16283-16287 (1992)
2	*53	Lerner, R.A., "Tapping the Immunological Repertoire to Produce Antibodies of Predetermined Specificity" <u>Nature</u> 299:592-596 (Oct 1982)
2	*54	Lindley et al., "NAP-1/IL-8 in Rheumatoid Arthritis" <u>Advances in Experimental Medicine and Biology</u> (Chemotactic Cytokines: Biology of the Inflammatory Peptide Supergene Family), Westwick, J. et al. (eds) Vol. 305:147-156 (1991)
2	*55	Loetscher et al., "Cloning of a human seven-transmembrane domain receptor, LESTR, that is highly expressed in leukocytes" <u>Journal of Biological Chemistry</u> 269(1):232-237 (1994)
2	*56	Mahida et al., "Enhanced synthesis of neutrophil-activating peptide-1/interleukin-8 in active ulcerative colitis" <u>Clinical Science</u> 82:273-275 (1992)
2	*57	Mattoli et al., "Expression of the Potent Inflammatory Cytokines, GM-CSF, IL6, and IL8, in Bronchial Epithelial Cells of Asthmatic Patients" 101(3):275-295 (1992)
2	*58	Moser et al., "Interleukin-8 Antagonists Generated by N-terminal Modification" <u>Journal of Biological Chemistry</u> 268(10):7125-7128 (1993)
2	*59	Murphy and Tiffany, "Cloning of complementary DNA encoding a functional human interleukin-8 receptor" <u>Science</u> 253(5025):1280-1283 (Sep 13, 1991)
2	*60	Nomura, H. et al., "Molecular cloning of cDNAs encoding a LD78 receptor and putative leukocyte chemotactic peptide receptors" <u>International Immunology</u> 5(10):1239-1249 (1993)

Examiner

Date Considered

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P0706P2C2D2C1

Serial No.

10/666,689

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Lee et al.

Filing Date

19 Sep 2003

Group

1646

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

2	*61	Oppenheim et al., "Properties of the novel proinflammatory supergene intercyne cytokine family" <u>Annu. Rev. Immunol.</u> 9:617-648 (1991)
2	62	Peichl et al., "Human neutrophil activating peptide/interleukin 8 acts as an autoantigen in rheumatoid arthritis" <u>Annals Rheum. Dis.</u> 51:19-22 (1992)
2	*63	Peralta et al., "Distinct primary structures, ligand-binding properties and tissue-specific expression of four human muscarinic acetylcholine receptors" <u>EMBO Journal</u> 6:3923-3929 (1987)
2	64	Porat et al., "Interleukin-1 (IL-1) receptor blockade reduces endotoxin and Borrelia burgdorferi-stimulated IL-8 synthesis in human mononuclear cells" <u>FASEB J.</u> 6(7):2482-2486 (1992)
2	*65	Prado et al. <u>Journal of Biological Chemistry</u> 269(17):12391-12394 (April 29, 1994)
2	*66	Quan, J.M. et al., "Antibodies against the N-terminus of IL-8 receptor A inhibit neutrophil chemotaxis" <u>Biochem. &amp; Biophys. Res. Comm.</u> 219:405-411 (1996)
2	*67	Ramachandran et al., "The Structural and Functional Interrelationships of Muscarinic Acetylcholine Receptor Subtypes" <u>Bioessays</u> 10:54-57 (1989)
2	68	Rampart et al., "Development and Application of a Radioimmunoassay for Interleukin-8: Detection of Interleukin-8 Synovial Fluids from Patients with Inflammatory Joint Disease" <u>Laboratory Investigations</u> 66(4):512-518 (1992)
2	*69	Samanta et al., "Identification and characterization of specific receptors for monocyte-derived neutrophil chemotactic factor (MDNCF) on human neutrophils" <u>Journal of Experimental Medicine</u> 169:1185-1189 (1989)
2	*70	Saragovi et al., "The Murine Interleukin 2 Receptor: Irreversible Cross-Linking of Radiolabeled Interleukin 2 to High Affinity Interleukin 2 Receptors Reveals a Noncovalently Associated Subunit" <u>J. Immunol.</u> 139(6):1918-1926 (Sep. 15, 1987)
2	71	Seitz et al., "Enhanced Production of Neutrophil-activating Peptide-1/Interleukin-8 in Rheumatoid Arthritis" <u>J. Clin. Invest.</u> 87(2):463-469 (1991)
2	72	Seitz et al., "Interleukin-8 in inflammatory rheumatic diseases: synovial fluid levels, relation to rheumatoid factors, production by mononuclear cells, and effects of gold sodium thiomalate and methotrexate" <u>Rheumatology</u> 12:159-164 (1992)
2	*73	Sevier et al., "Monoclonal Antibodies in Clinical Immunology" <u>Clinical Chemistry</u> 27(11):1797-1806 (1981)
2	*74	Sims et al., "cDNA Expression Cloning of the IL-1 Receptor, a Member of the Immunoglobulin Superfamily" <u>Science</u> 241:585-589 (1988)
2	75	Smyth et al., "IL-8 Gene Expression and Production in Human Peripheral Blood Lymphocyte Subsets" <u>J. Immunol.</u> 146(11):3815-3823
2	76	Soh et al., "Identification and Sequence of an Accessory Factor Required for Activation of the Human Interferon $\gamma$ Receptor" <u>Cell</u> 76:793-802 (1994)
2	*77	Sticherling et al., "Production and Characterization of Monoclonal Antibodies Against the Novel Neutrophil Activating Peptide NAP/IL-8" <u>J. Immunol.</u> 143(5):1628-1634 (September 1, 1989)
2	*78	Strader et al., "Structural basis of $\alpha$ -adrenergic receptor function" <u>FASEB</u> 3:1825-1832 (1989)
2	*79	Taylor, C. W., "The role of G proteins in transmembrane signalling" <u>Biochemical Journal</u> 272(1):1-13 (1990)
2	*80	Terkeltaub et al., "Monocyte-derived neutrophil chemotactic factor/interleukin-8 is a potential mediator of crystal-induced inflammation" <u>Arthr. and Rheum.</u> 34:894-903 (1991)

Examiner

Date Considered

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449

**JAN 12 2004**

**U.S. Dept. of Commerce**  
**Patent and Trademark Office**

**Atty Docket No.**

P0706P2C2D2C1

**Serial No.**

10/666,689

**LIST OF DISCLOSURES CITED BY APPLICANT**

(Use several sheets if necessary)

**Applicant**

Lee et al.

Filing Date

19 Sep 2003

Group

1646

**OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)**

**Examiner**

Date Considered

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.